

Chateau Limestone

Pattern Cut Pavers

Nominal Size (Imperial, inch)	Actual Size (Metric, cm)	Thickness (Inches, cm)
12 x 24	30 x 60	1-3/16, 3
18 x 24	45 x 60	
18 x 36	45 x 90	
24 x 24	60 x 60	
24 x 36	60 x 90	

Coping, Hearths, Mantles, Sills & Treads

Actual Size (Imperial) Inch x feet-inch.	Thickness (Inches)
12 x 6-0	2
12 x 8-0	
14 x 6-0	
14 x 8-0	
20 x 6-0	
20 x 8-0	
24 x 6-0	
24 x 8-0	

Heavy Steps

18 x 4-0	6
----------	---

Fence Posts

6 x 8-0	6
---------	---



Chateau Limestone Product Specifications

Geology: Dolomite (Dolomitic Limestone)

ASTM Specification: Coming soon!

Product Type & Finish:

- **Pattern Cut Pavers:** Sawn 6 sides with thermal and brushed top.
- **Sill & Tread Stock:** Sawn 6 sides with thermal and brushed top and rock-pitched face on 1 long & 2 short edges.
- **Heavy Steps:** Same finish as Sill & Tread Stock. (call)
- **Oversize Slabs:** Various size cutting stock with thermal top and custom cut to your desired shape and finish. (call)

Pattern Cut Size: Chateau Limestone Pavers are cut on a tile line to precise metric dimensions, producing a very high quality product having square corners. Imperial length and width measurements as indicated in inches reflect a nominal size which is approximately 1/2" short of the full dimension.

Special Notice on Pattern Size: This product is an *excellent* choice for dry-laid work due to the stone's uniform thickness & cut-to-square quality in addition to the ability to match pieces without extensive field cutting.
(Example - Two 30 cm lengths = 60 cm.)

Custom: On larger jobs with proper planning and advance notice we can order special sizes or custom fabricated material from the factory to meet job specific requirements in an effort to reduce on site time and labor and reduce overall project cost. Please consult a sales representative for more information.

Brownstone

Pattern Cut Pavers

Nominal Size (Imperial, inch)	Actual Size (Metric, cm)	Thickness. (Inches, cm)
12 x 12	30 x 30	1-3/16, 3
12 x 18	30 x 45	
12 x 24	30 x 60	
12 x 36	30 x 90	
18 x 18	45 x 45	
18 x 24	45 x 60	
18 x 30	45 x 75	
18 x 36	45 x 90	
24 x 24	60 x 60	
24 x 30	60 x 75	
24 x 36	60 x 90	

Coping, Hearths, Mantles, Sills & Treads

Actual Size (Imperial) Inch x feet-inch.	Thickness (Inches)
6 x 6-0	2
8 x 6-0.	
12 x 6-0	
12 x 8-0	
14 x 6-0	
14 x 8-0	
18 x 6-0.	
20 x 6-0	
20 x 8-0	
24 x 6-0	
24 x 8-0	

Heavy Steps

18 x 4-0	6
18 x 6-0	6

Fence Posts

6 x 8-0	6
---------	---

Brownstone Product Specifications

Geology: Sandstone

ASTM Specification: Coming soon!

Product Type & Finish:

- *Pattern Cut Pavers:* Sawn 6 sides with thermal top.
- *Sill & Tread Stock:* Sawn 6 sides with thermal top and rock-pitched face on 1 long & 2 short edges.
- *Heavy Steps:* Same finish as Sill & Tread Stock. (call)
- *Oversize Slabs:* Various size cutting stock with thermal top and custom cut to your desired shape and finish. (call)

Pattern Cut Size: Brownstone Pavers are cut on a tile line to precise metric dimensions, producing a very high quality product having square corners. Imperial length and width measurements as indicated in inches reflect a nominal size which is approximately 1/2" short of the full dimension.

Special Notice on Pattern Size: This product is an *excellent* choice for dry-laid work due to the stone's uniform thickness & cut-to-square quality in addition to the ability to match pieces without extensive field cutting.
(Example - Two 30 cm lengths = 60 cm.)

Heavy Steps: Available in (2) sizes 18" x 4' x 6" & 18" x 6' x 6"

Oversize Slabs: Various size slabs are available in 2", 3" & 4" thickness for custom fabrication work by Rolling Rock.

Custom: On larger jobs with proper planning and advance notice we can order special sizes or custom fabricated material from the factory to meet job specific requirements in an effort to reduce on site time and labor and reduce overall project cost. Please consult a sales representative for more information.



Northern Blue

Pattern Cut Pavers

Nominal Size (Imperial, inch)	Actual Size (Metric, cm)	Thickness. (Inches, cm)
12 x 12	30 x 30	1-3/16, 3
12 x 24	30 x 60	
12 x 36	30 x 90	
18 x 18	45 x 45	
18 x 24	45 x 60	
18 x 30	45 x 75	
18 x 36	45 x 90	
24 x 24	60 x 60	
24 x 30	60 x 75	
24 x 36	60 x 90	

Coping, Hearths, Mantles, Sills & Treads

Actual Size (Imperial) Inch x feet-inch.	Thickness. (Inches).
8 x 6-0	2
12 x 6-0	
12 x 8-0	
14 x 6-0	
14 x 8-0	
18 x 6-0	
20 x 6-0	
24 x 6-0	
24 x 8-0	

Northern Blue Product Specifications

Geology: Sandstone

ASTM Specification: Coming soon!

Product Type & Finish:

- *Pattern Cut Pavers:* Sawn 6 sides with thermal top.
- *Sill & Tread Stock:* Sawn 6 sides with thermal top and 1 long edge.

Pattern Cut Size: Northern Blue Pavers are cut on a tile line to precise metric dimensions, producing a very high quality product having square corners. Imperial length and width measurements as indicated in inches reflect a nominal size which is approximately 1/2" short of the full dimension.

Special Notice on Pattern Size: This product is an *excellent* choice for dry-laid work due to the stone's uniform thickness & cut-to-square quality in addition to the ability to match pieces without extensive field cutting.
(Example - Two 30 cm lengths = 60 cm.)

Custom: On larger jobs with proper planning and advance notice we can order special sizes or custom fabricated material from the factory to meet job specific requirements in an effort to reduce on site time and labor and reduce overall project cost. Please consult a sales representative for more information.



Terra and Sapphire Quartzite

Sapphire Pattern Cut Pavers

Nominal Size (Imperial, inch)	Actual Size (Metric, cm)	Thickness (Inches, cm)
12 x 12	30 x 30	1 to 1-1/4, 2.5 to 3
12 x 18	30 x 45	
12 x 24	30 x 60	
12 x 36	30 x 90	
18 x 18	45 x 45	
18 x 24	45 x 60	
18 x 36	45 x 90	
24 x 24	60 x 60	
24 x 30	60 x 75	
24 x 36	60 x 90	

Sapphire Pool Coping

Actual Size (Imperial) Inch x feet-inch.	Thickness (Inches)
14 x 2-0	2

Terra Pattern Cut Pavers

Nominal Size (Imperial, inch)	Actual Size (Metric, cm)	Thickness (Inches, cm).
12 x 12	30 x 30	1 to 1-1/4, 2.5 to 3
12 x 18	30 x 45	
12 x 24	30 x 60	
12 x 36	30 x 90	
18 x 18	45 x 45	
18 x 24	45 x 60	
18 x 36	45 x 90	
24 x 24	60 x 60	
24 x 30	60 x 75	
24 x 36	60 x 90	



Terra and Sapphire Product Specifications

Geology: Quartzite

ASTM Specification: Coming soon!

Product Type & Finish:

- *Pattern Cut Pavers:* Sawn 4 or 5 sides with natural cleft top.
- *Pool Coping:* Sawn 5 sides with natural cleft top and bull nose face on 1 long edge.

Pattern Cut Size: Terra and Sapphire Pavers are cut to metric dimensions, producing a high quality product having nearly square corners. Imperial length and width measurements as indicated in inches reflect a nominal size which is approximately 1/2" short of the full dimension.

Custom: On larger jobs with proper planning and advance notice we can order special sizes or custom fabricated material from the factory to meet job specific requirements in an effort to reduce on site time and labor and reduce overall project cost.

Antiques & Reclaimed

	Item	Average Size
	Millstone (Granite)	Diameter:20"-24" Thickness 4" -7"
	Grindstone (Granite)	Diameter:10"-16" Thickness 4" - 7"
	Millstone Base (Granite)	Diameter:31"-39" Thickness 4" - 6"
	Millstone Base (Red Sandstone)	Diameter:31"-39" Thickness 4" - 6"
	Granite Split 18" +/- (Granite)	Lgth: 35"-39" Wide: 16"-20" Thick: 4" +/-
	Granite Step 16"	Lgth: 39"-47" Wide: 14"-18" Thick: 4 3/4" +/-

Antiques & Reclaimed

	Item	Average Size
	Granite Step 24"	Lgth: 39"-47" Wide: 20"-25" Thick: 4 ¾" +/-
	Sandstone Step 16"	Lgth: 39"-60" Wide: 16" +/- Thick: 3"-4 ¾"
	Sandstone Step 24"	Lgth: 39"-43" Wide: 24" +/- Thick: 4 ¾"-6"
	Trough - Small (Granite)	Lgth: 19"-33" Wide: 10"-15" High 6"-10"
	Trough - Medium (Sandstone)	Lgth: 31"-43" Wide: 16"-22" High 10"-14"