



Family Owned Since 1955



*Commitment to Quality ...
The Cornerstone of Our Success®*

Building Stone



Fieldstone



Brookfield Buff®



Foxfield Blend® **



Foxfield Blend®



Huntington Gray®



Brookfield Buff®



Weatherstone Blend®



Oley Valley™



Pocono Boulders™



Antique Red™



Huntington Gray® **



Oley Valley™

A BRIEF NOTE REGARDS COVERAGE

Natural stone coverage (yield per ton, ft², ft³, etc.) has been an item that no doubt has caused much angst over the centuries. Perhaps Pharaohs and Emperors who had near unlimited resources and did not genuinely care about the health and well-being of their staff, could do whatever they desired with natural stone.

We however, must understand and embrace, the element that yield or coverage of natural stone is subjective. The product, project, installer, and other factors, dictate that coverage will vary and cannot be guaranteed.

Therefore, always consult with installation professionals. In addition, add a percentage to the budgeted cost that is reasonable. This may still not cover all costs incurred. The subsequent unique and gorgeous application will demonstrate that resources have been well spent!



Splitface Fieldstone



Antique Dark™
square/rectangular



Mountain Mary®
irregular



Mountain Mary®
square/rectangular



Antique Dark™ irregular



Hardystone Quartzite™
irregular



Imperial Quartzite™ ashlar



Pocono Boulders™
splitface



Oysterdale Quartzite™



Mountain Mary®
square/rectangular
**



Hardystone Quartzite™ **



Ledge Rock



Berks County™ ledge rock



Tinicum™ ledge rock



Stonemont® split ledge rock



Mountain Fieldstone™
split ledge rock



Chestnut™
sorted ledge rock



Stonemont®
split ledge rock



Mountain Fieldstone™ split ledge rock


For hundreds of color images, visit us at
www.rollrock.com



Limestone



Armitage Blend™



Alverson
Limestone®
ashlar blend



Alverson Limestone®
irregular



Seneca Limestone®
gray irregular



Seneca Limestone®
buff ashlar



Alverson Limestone®
ashlar



Seneca Limestone®
buff irregular



Seneca Limestone®
gray ashlar



Armitage Blend™



Seneca Limestone®
buff ashlar



Mica Schist



Crystal Lake®
main line blend



Crystal Lake® custom



Crystal Lake® ashlar blend

A BRIEF NOTE REGARDS NATURAL STONE

Natural Stone is a relatively hard, naturally formed mineral or petrified matter, produced in nature. Therefore, considerable variations including, but not limited to, color, texture, size, and cleft will occur in all natural stone. Samples, sample panels, brochures, photographs, computer-generated pictures, and items viewed on the Internet may be, in some measure, different from the stone you actually receive. Laboratory tests, if conducted, are performed on small samples and cannot be totally accurate because of the limited scale of the tests.



Crystal Lake® irregular



Crystal Lake® ashlar strip



Crystal Lake®
mainline blend





Rolling Rock Building Stone Inc.
40 Rolling Rock Road, Boyertown, PA 19512
Phone: 610-987-6226 • Fax: 610-987-9779
www.RollRock.com

DISCLAIMER OF WARRANTY AND DAMAGES: Rolling Rock Building Stone Inc. products are provided to you "AS IS" without warranty of any kind, either expressed or implied, including, but not limited to the implied warranties of merchantability, or fitness for a particular purpose.



Building Stone Product Guide

Category	Product	Style	Bed Thickness Range	Typical Face Size Range*	Typical Yield per Ton	General Stone Type	Density (lbs/cuft) ASTM C97	Absorption (%) ASTM C97	Compressive Strength (PSI) ASTM C170
Fieldstone	Foxfield Blend®	Irregular	3"-5" or 5"-7"	5"-20"	45 or 35	Quartzitic Sandstone	156	0.71	21,500
	Weatherstone Blend®					Sandstone	158	0.91	22,650
	Quail Ridge™						149	1.83	17,400
	Huntington Gray®					Gneiss	N/A	N/A	N/A
	Brookfield Buff®		3"-6"	4"-16"	35	Sandstone+Gneiss	N/A	N/A	N/A
	Antique Red™						N/A	N/A	N/A
	Oley Valley™					Sandstone+Gneiss	N/A	N/A	N/A
	Pine Forge™						N/A	N/A	N/A
Splitface Fieldstone	Pocono Boulders™	Irregular	4"-6"	5"-20"	35	Quartzitic Sandstone	156	0.71	21,500
	Cape Vincent™					Gneiss	N/A	N/A	N/A
	Mountain Mary®						149	1.83	17,400
	Mountain Mary® purple					Sandstone	158	0.91	22,650
	Hardystone Quartzite™						166	0.36	26,830
	Oysterdale Quartzite™					Sandstone+Gneiss	N/A	N/A	N/A
	Imperial Quartzite™						N/A	N/A	N/A
	Furnace Hill™					Sandstone	149	1.83	17,400
Ledge Rock	Ironstone Dark™	Irregular	4"-6"	5"-20"	35	Quartzitic Sandstone	156	0.71	21,500
	Antique Dark™					Gneiss	N/A	N/A	N/A
	Stonemont®						149	1.83	17,400
	Pocono Boulders™					Sandstone	158	0.91	22,650
	Stonemont®						166	0.36	26,830
Sandstone	Brookfield Buff®	Irregular	4"-6"	5"-20"	35	Sandstone	158	0.91	22,650
	Golden Hue™					Quartzitic Sandstone	166	0.36	26,830
	Brookfield Buff®						156	0.71	21,500
	Golden Hue™					Quartzitic Sandstone	166	0.36	26,830
	Golden Hue™						166	0.36	26,830
Limestone	Alverson Limestone®	Irregular	4"-6"	5"-20"	35	Limestone	170	0.34	31,420
	Seneca Limestone® Buff						165	1.42	14,900
	Seneca Limestone® Gray						165	1.75	15,100
	Armitage Blend™						165/170	1.75/0.34	15,100/32,180
	Alverson Limestone®						170	0.34	31,420
	Seneca Limestone® Buff						165	1.42	14,900
	Seneca Limestone® Gray						165	1.75	15,100
	Armitage Blend™						165/170	1.75/0.34	15,100/32,180
Schist	Crystal Lake®	Irregular	4"-6"	5"-20"	35	Schist	168	0.38	32,380
	Crystal Lake®						168	0.38	32,380
	Crystal Lake®						168	0.38	32,380

* For more detailed specifications please consult www.rollrock.com

Products as listed are sold nationally by Rolling Rock Building Stone, Inc. and its authorized resellers. All items marked with the ® symbol are registered trademarks and all items marked with the ™ symbol are trademarks of Rolling Rock Building Stone, Inc.

Building Stone is a natural stone product. Sizes, thickness, yields listed are nominal or estimates and are not exact.

Building Stone is provided to you "AS IS" without warranty of any kind, either express or implied, including, but not limited to the implied warranties of merchantability or fitness for a particular purpose.

Natural Stone is a relatively hard, naturally formed mineral or petrified matter, produced in nature. Therefore, considerable variations including, but not limited to, color, texture, size, and cleft will occur in all natural stone. Samples, sample panels, brochures, photographs, computer-generated pictures, and items viewed on the Internet may be, in some measure, different from the stone you actually receive. Laboratory tests, if conducted, are performed on small samples and cannot be totally accurate because of the limited scale of the tests. Please be sure that all parties involved are aware of these facts, so an informed decision can be made regarding natural stone.

Ensure that building stone is installed according to local building codes by a qualified and licensed contractor. When possible, choose an installing contractor that fits the desired application, rather than one that fits a budget. For a Resource Guide to assist with installation methods, please consult our Technical+Info web page.

User accepts all responsibly if a 'dry stack' application is performed on any exterior project.

Use of Chemicals: Acid or chemical cleaners are not recommended because of the inability of the user to control its use. User accepts all risks.

** Photo Credits:

Foxfield Blend® (Page 2) - Frederick Block Brick & Stone

Huntington Gray® (Page 3) - Braen Supply

Hardystone Quartzite™ (Page 4) - Tomasco Landscaping

Mountain Mary® square/rectangular (Page 4) - Frederick Block Brick & Stone

Authorized Reseller:

